

DHM Ducted System Design Check List

1. Branch/Sales Rep:

2. Customer Reference / Site Address:

3. Preferred Heat Pump Brand:

4. Build Type [mark with x]: ☐ New Build ☐ Retro Refit ☐ Renovation

Factors into the Return Grille we Design for

5. Installation Type [mark with x]: ☐ Roof Cavity ☐ Underfloor

Factors into number of Supply Vents we design for


6. Ceiling Height [note in box]: Correct measurements are needed Calculate Output & Airflow



[]



[] [] []



[] []

7. System Type [mark with x]: ☐ No Zone Control ☐ [Brand Controller]

Controller Type:

Zone (open/close) Control: ☐ Nite

Zone & Climate Control: ☐ Naked ☐ Nano ☐ Nexus ☐ NOVA ☐ NOVA^{Mini}

Climate Control Temperature Sensor

☐ Wireless Battery ☐ Wired RJ11 ☐ Compact Battery

☐ iSense Sensors

8. iZone Wi-Fi option [mark one]: ☐ YES ☐ NO (Wifi recommended for iZone NAKED System)

9. Supply Diffusers (tick): ☐ Ceiling Round - Plastic ☐ Down Jet - Plastic ☐ Multi Directional Vent - Plastic

☐ Floor Grille - Metal ☐ Linear Bar Grille - Metal ☐ Linear Slot Grille - Metal

10. Ventilation Option [mark]: ☐ Fresh Air Intake ☐ Heat Recovery ☐ Positive Pressure

Options for Ventilation Upgrades



TERMS AND CONDITIONS BELOW

- We may have offered alternatives where appropriate. Please check suitability prior to ordering.
- Pricing is based on the quote being accepted in its entirety.
- DHM accepts no responsibility for the design function and accuracy of drawing take offs within this quotation.
- You should ensure all items ordered meet with your requirements.
- We can offer site commissioning visits at a cost of \$85.00 plus G.S.T per hour and will entail a van charge.
- At time of quoting lead time is 5 -workings days. For current manufacturing times please contact sales staff.
- Quote is valid for 30 days from issue.
- This quote is based on the information provided by the customer. Quantities are based on the customer's written request.
- The quantities of equipment offered from overseas suppliers are based on the information available to us at the time of quotation, it should be noted that whilst all care is taken with the quantities taken off the plans during the estimating process, it remains the customer's responsibility to determine if the quantities quoted are sufficient for the project.
- Manufactured items will be subject to lead times. Supply of other items may also be subject to lead times and availability.
- We are not responsible for the install and managing duct runs and access points
- We are not responsible for any solar gain.

Ducted Heat Pump Vents & Grilles - iZone Model Controllers

		
Standard Ceiling Round	Filtered Return Air Grille	Multi-Directional
		
Floor Grille Plastic & Metal Options Colour Options Available	Wall Linear Bar Grille Varied Sizes & Sized to Area	Ceiling Linear Slot Grille Can be Noisy due to Deflection Blades Reduced Air Flow Rate
<p style="text-align: center;">NO WALL CONTROLLER</p> <p style="text-align: center;">Operation via Smart Device</p>		
iZone NAKED iZone Wi-Fi Bridge Recommended	iZone NANO	iZone NEXUS
		
iZone Temperature Sensor Switch Standard Wireless Bluetooth Connect or Wired RJ11 back to Ceiling Unit CPU	Wi-Fi Bridge to Smart Phone App	iZone Home Smart Device App